



CONDUÇÃO E
CONTROLO DE FLUIDOS

TUBOS PARA CANALIZAÇÃO

EN10255 – Preto

Liso / série média



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0100010	DN 10	3/8"	17,2	2,3	1,49
0100020	DN 15	1/2"	21,3	2,6	1,96
0100030	DN 20	3/4"	26,9	2,6	2,32
0100040	DN 25	1"	33,7	3,2	3,45
0100050	DN 32	1.1/4"	42,4	3,2	4,39
0100060	DN 40	1.1/2"	48,3	3,2	5,04
0100070	DN 50	2"	60,3	3,6	7,12
0100080	DN 65	2.1/2"	76,1	3,6	9,21
0100090	DN 80	3"	88,9	4,0	12,01
0100100	DN 90	3.1/2"	101,6	4,0	13,11
0100110	DN 100	4"	114,3	4,5	17,87
0100120	DN 125	5"	139,7	5,0	24,34
0100130	DN 150	6"	165,1	5,0	29,03

EN10255 – Galvanizado

Liso / série média



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0000010	DN 10	3/8"	17,2	2,3	2,27
0000020	DN 15	1/2"	21,3	2,6	2,77
0000030	DN 20	3/4"	26,9	2,6	3,30
0000040	DN 25	1"	33,7	3,2	4,75
0000050	DN 32	1.1/4"	42,4	3,2	6,05
0000060	DN 40	1.1/2"	48,3	3,2	7,03
0000070	DN 50	2"	60,3	3,6	9,81
0000080	DN 65	2.1/2"	76,1	3,6	12,69
0000090	DN 80	3"	88,9	4,0	16,48
0000100	DN 90	3.1/2"	101,6	4,0	17,81
0000110	DN 100	4"	114,3	4,5	24,31
0000120	DN 125	5"	139,7	5,0	32,89
0000130	DN 150	6"	165,1	5,0	39,11

EN10255 – Série Média – Preto

Pintado RAL3000 / ranhurado



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0101240	DN 25	1"	33,7	3,2	4,59
0101250	DN 32	1.¼"	42,4	3,2	5,83
0101260	DN 40	1.½"	48,3	3,2	6,69
0101270	DN 50	2"	60,3	3,6	9,31
0101280	DN 65	2.½"	76,1	3,6	12,01
0101290	DN 80	3"	88,9	4,0	15,47
0101310	DN 100	4"	114,3	4,5	22,69
0101320	DN 125	5"	139,7	5,0	30,63
0101330	DN 150	6"	165,1	5,0	36,55

EN10255 – Série Média – Galvanizado

Pintado RAL3000 / ranhurado



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0001240	DN 25	1"	33,7	3,2	6,09
0001250	DN 32	1.¼"	42,4	3,2	7,75
0001260	DN 40	1.½"	48,3	3,2	8,99
0001270	DN 50	2"	60,3	3,6	12,41
0001280	DN 65	2.½"	76,1	3,6	16,02
0001290	DN 80	3"	88,9	4,0	20,63
0001310	DN 100	4"	114,3	4,5	30,14
0001320	DN 125	5"	139,7	5,0	40,49
0001330	DN 150	6"	165,1	5,0	48,20

EN10255 – L2 – Preto

Liso / série ligeira



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0101010	DN 10	3/8"	17,2	1,8	1,21
0101020	DN 15	½"	21,3	2,0	1,54
0101030	DN 20	¾"	26,9	2,3	2,05
0101040	DN 25	1"	33,7	2,6	2,84
0101050	DN 32	1.¼"	42,4	2,6	3,59
0101060	DN 40	1.½"	48,3	2,9	4,57
0101070	DN 50	2"	60,3	2,9	5,77
0101080	DN 65	2.½"	76,1	3,2	8,19
0101090	DN 80	3"	88,9	3,2	9,65
0101100	DN 90	3.½"	101,6	3,2	11,64
0101110	DN 100	4"	114,3	3,6	14,28
0101120	DN 125	5"	139,7	3,6	18,03
0101130	DN 150	6"	165,1	3,6	21,58

EN10255 – L2 – Galvanizado

Liso / série ligeira



art. Nº	diâmetro	polegadas	ext. (mm)	esp. (mm)	€
0001010	DN 10	3/8"	17,2	1,8	2,42
0001020	DN 15	1/2"	21,3	2,0	2,17
0001030	DN 20	3/4"	26,9	2,3	2,91
0001040	DN 25	1"	33,7	2,6	3,91
0001050	DN 32	1.1/4"	42,4	2,6	4,95
0001060	DN 40	1.1/2"	48,3	2,9	6,38
0001070	DN 50	2"	60,3	2,9	7,95
0001080	DN 65	2.1/2"	76,1	3,2	11,29
0001090	DN 80	3"	88,9	3,2	13,23
0001100	DN 90	3.1/2"	101,6	3,2	16,07
0001110	DN 100	4"	114,3	3,6	19,43
0001120	DN 125	5"	139,7	3,6	25,14
0001130	DN 150	6"	165,1	3,6	30,09

→ CARACTERÍSTICAS TÉCNICAS

- Processo de fabrico: Soldado.
- Qualidade do Revestimento de acordo com a norma EN10240:A2

→ EQUIVALÊNCIA DE NORMAS

Actual	Normas anteriores substituídas pela norma europeia						
EN10255	DIN2440 DIN2441	BS1387	NP513	UNE19-040 UNE19-041 UNE19-042 UNE19-043 UNE19-045 UNE19-047 UNE19-051	UNI8863	NFA 49-145	NBN A25-103



PINTO & CRUZ
Tubagens e Sistemas, S.A.

telefone 707 225 500 • fax 220 400 909 • tubos@pintocruz.pt • www.pintocruz.pt
PORTO • BENAVENTE • LISBOA • PONTA DELGADA • PORTIMÃO